Fair Or Poor Health (Adults)

Fair Or Poor Health (Adults)

•Most recent data (2014): 12% or about 188,300 King County adults age 18+.

•Trend over time: 2000-14: flat

•Description: General health is fair or poor

•Healthy People 2020 Goal: None listed for this indicator.

Fair or poor health (adults), King County, 2010-2014 average

	Percent	Lower Cl	Upper CI
King County (adults age 18+)	12	11	13
AGE			,
18-24	7	5	9
25-44	9	8	11
45-64	15	14	16
65+	18	16	20
GENDER	·		
Male	12	11	13
Female	12	11	13
RACE/ETHNICITY			
AIAN	26	17	38
Asian	9	7	12
Black	21	17	27
Hispanic	24	21	28
Multiple	14	10	19
NHPI	16 §	7 §	31 §
White	11	10	12
HOUSEHOLD INCOME			
<\$15,000	31	27	36
\$15,000 to \$24,999	21	18	24
\$25,000 to \$34,999	15	12	17
\$35,000 to \$49,999	13	11	16
\$50,000 to \$74,999	9	8	11
\$75,000+	5	4	6
REGION			
East	9	8	11
North	9	7	12
Seattle	11	10	13
South	16	14	17
STATE			
Washington State	16	15	16

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 $\$ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Fair or poor health (adults) King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates. § Too few cases to meet precision standard, interpret with caution.

Fair or poor health (adults) by health reporting areas, King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	12	11	13
Auburn	19	14	25
Aubum-North	18	13	25
Aubum-South	19	11	31
Bear Creek/Carnation/Duvall	7	5	10
Bellevue	12	9	15
Bellevue-Central	15	9	24
Bellewe-NE	17	11	25
Bellewe-South	6	4	10
Bellewe-West	8	5	15
Black Diamond/Enumclaw/SE County	12	8	17
Bothell/Woodinville	10	7	14
Burien	23	17	31
Covington/Maple Valley	9	6	14
Des Moines/Normandy Park	16	10	23
East Federal Way	14	8	22
Fairwood	14	8	24
Federal Way	21	16	26
Fed Way-Central/Military Rd	24	17	32
Fed Way-Dash Point/Woodmont	14	9	22
Issaquah	13 §	7 \$	25 §
Kenmore/LFP	8	5	12
Kent	15	12	19
Kent-East	18	11	29
Kent-SE	13	10	18
Kent-West	18	11	28
Kirkland	6	5	9
Kirkland	6	4	8
Kirkland North	7	5	11
Mercer Isle/Pt Cities	9	5	15
Newcastle/Four Creeks	11	7	18
North Highline	19	10	32
Redmond	8	6	13
Renton	13	10	17
Renton-East	8	4	14
Renton-North	15	9	23
Renton-South	16	11	23
Sammamish	5	3	8
SeaTac/Tukwila	18	13	25
Seattle	11	10	13
Ballard	5	3	7
Beacon/Gtown/S.Park	11	7	18
Capitol Hill/E.lake	13	9	18
Central Seattle	14	9	21
Delridge	13	9	19
Downtown	18	12	26
Fremont/Greenlake	6	4	10
NE Seattle	11	7	16
North Seattle	11	8	16
NW Seattle	13	9	18
QA/Magnolia	6	4	9
SE Seattle	19	13	26
West Seattle	12	8	18
Shoreline	10	7	14
Snoqualmie/North Bend/Skykomish	12	8	19
Vashon Island	9	5	15
Comparisons:	·	·	· <u>·</u>

Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


Cl is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.


Fair or poor health (adults) by health reporting areas King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Fair or poor health (adults) King County, 2000-2014, three-year rolling averages



Trends over time: King County (2000-14: flat); East KC (2000-14: flat); North KC (2000-14: flat); Seattle (2000-14: flat); South KC (2000-14: rising); Washington State (2000-14: rising) Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the <u>Assessment, Policy Development & Evaluation Unit</u> <u>Public Health - Seattle & King County</u> 07/16

